

AUTHOR INDEX

- Aldaz, A., see Lorenzo, M. S. 295
- Al-Sowdani, K. H.
— and Townshend, A.
Flow-injection determination of europium after on-line reduction 339
- Asperger, L.
—, Geppert, G. and Krabisch, Ch.
Comparison of amperometric measuring principles for determinations of glucose with electrodes based on glucose oxidase 281
- Babalievski, F. V.
Theoretical aspects of quantitative mass spectrometry of gas mixtures 241
- Bailey, M. P.
—, Rocks, B. F. and Riley, C.
Rapid spectrofluorimetric determination of plasma salicylate with EDTA and terbium 335
- Baylocq, D., see Lehuède, P. 145
- Bechler, C. L., see Johnson, K. S. 83
- Bender, C. J.
— and Tien, H. T.
Electrical properties of bilayer lipid membranes containing iodine and iodide, investigated by cyclic voltammetry 51
- Bilewicz, R., see Głodowski, S. 11
- Bissery, V., see Lehuède, P. 145
- Bos, M., see Chen, L. 117
- Breyer, Ph.
— and Gilbert, B. P.
Determination of selenium(IV) by differential pulse voltammetry of the 3,3'-diaminobenzidine piarselenol 23
- Breyer, Ph.
— and Gilbert, B. P.
Determination of very low levels of selenium(IV) in sea water by differential-pulse cathodic stripping voltammetry after extraction of the 3,3'-diaminobenzidine piarselenol 33
- Bunker, V. W.
— and Delves, H. T.
Accurate determination of selenium in biological materials without perchloric acid for digestion 331
- Cañas, P., see Lorenzo, M. S. 295
- Chen, L.
—, Bos, M., Grootenhuys, P. D. J., Christenhusz, A., Hoogendam, E., Reinhoudt, D. and van der Linden, W. E.
Stability constants for some divalent metal ion/crown ether complexes in methanol determined by polarography and conductometry 117
- Christenhusz, A., see Chen, L. 117
- Coello, J.
—, Danielsson, L.-G. and Hernandez-Cassou, S.
Continuous flow extraction of indium with bis(2-ethylhexyl)phosphoric acid in 4-methylpentane-2-one coupled on-line with flame atomic absorption spectrometry 325
- Danielsson, L.-G., see Coello, J. 325
- Danzer, K.
—, Flórián, K., Singer, R., Mäurer, F., El-Nady, A.-B. M. and Zimmer, K.
Investigation of the origin of archaeological glass artefacts by means of pattern recognition 289
- Delves, H. T., see Bunker, V. W. 331
- Dimov, N.
General model for precalculation of the retention indices of isoalkanes separated by gas or liquid chromatography 217
- Dimov, N., see Stoyanov, E. 207
- Dorsey, J. G., see Hernández Torres, M. A. 67
- Drablos, F.
Symmetric distance measures for mass spectra 225
- Duo, R., see Lorenzo, M. S. 295
- El-Nady, A.-B. M., see Danzer, K. 289
- Favretto, L.
—, Pertoldi Marletta, G., Gabrielli Favretto, L. and Vojnović, D.
Principal components analysis for the estimation of interdependences among trace metals in cow milk 253

- Flórian, K., see Danzer, K. 289
 Friehmelt, V.
 —, He, A., Yang, Z. and Marx, G.
 Transport behaviour of water and nitric acid in tributyl phosphate/n-dodecane mixtures 135
 Fukuyama, S., see Kitamura, K. 357
- Gabrielli Favretto, L., see Favretto, L. 253
 Geppert, G., see Asperger, L. 281
 Gilbert, B. P., see Breyer, Ph. 23, 33
 Głodowski, S.
 —, Bilewicz, R. and Kublik, Z.
 Cathodic and anodic stripping determination of traces of adenine and adenosine based on accumulation of copper(I) compounds at mercury or amalgam electrodes 11
 Grabisch, Ch., see Asperger, L. 281
 Grimalt, J.
 —, Iturriaga, H. and Olive, J.
 An experimental study of the efficiency of different statistical functions for the resolution of chromatograms with overlapping peaks 193
 Grootenhuis, P. D. J., see Chen, L. 117
 Grote, M.
 — and Kettrup, A.
 Ion-exchange resins containing S-bonded dithizone and dehydrodithizone as functional groups. Part 3. Determination of gold, platinum and palladium in geological samples by means of a dehydrodithizone resin and plasma emission spectrometry 95
- Hatta, M., see Kitamura, K. 357
 Hayashi, Y.
 —, Shibasaki, T. and Uchiyama, M.
 Resolution of overlapped chromatograms by means of the Kalman filter. Dimensional reduction of error covariance matrices and state estimate vectors 185
 He, A., see Friehmelt, V. 135
 Headridge, J. B.
 —, Johnson, D., Jackson, K. W. and Roberts, J. A.
 Determination of antimony dopant and some ultra-trace elements in semiconductor silicon by atomic absorption spectrometry with introduction of solid samples into the furnace 311
 Hernandez-Cassou, S., see Coello, J. 325
- Hernandez, L., see Lorenzo, E. 275
 Hernández Torres, M. A.
 —, Khaledi, M. G. and Dorsey, J. G.
 Micellar-catalyzed reactions for flow-injection systems. Determination of pyridoxal 67
 Hoogendam, E., see Chen, L. 117
 Hozumi, K., see Kitamura, K. 301, 357
 Hua, C.
 —, Jagner, D. and Renman, L.
 Automated determination of total arsenic in sea water by flow constant-current stripping analysis with gold fibre electrodes 263
 Huiliang, H.
 —, Jagner, D. and Renman, L.
 Determination of mercury in air by means of computerized flow constant-current stripping analysis with a gold fibre electrode 269
 Huiliang, H.
 —, Jagner, D. and Renman, L.
 Flow potentiometric and constant-current stripping analysis for mercury(II) with gold, platinum and carbon fibre working electrodes. Application to the analysis of tap water 1
- Iturriaga, H., see Grimalt, J. 193
- Jackson, K. W., see Headridge, J. B. 311
 Jagner, D., see Hua, C. 263
 Jagner, D., see Huiliang, H. 1, 269
 Johnson, D., see Headridge, J. B. 311
 Johnson, K. S.
 —, Sakamoto-Arnold, C. M., Willason, S. W. and Beehler, C. L.
 Reagent-injection flow analysis: application to the determination of nanomolar levels of hydrogen peroxide in seawater 83
- Kettrup, A., see Grote, M. 95
 Khaledi, M. G., see Hernández Torres, M. A. 67
 Kitamura, K.
 — and Hozumi, K.
 Effect of Savitzky-Golay smoothing on second-derivative spectra 301
 Kitamura, K.
 —, Hatta, M., Fukuyama, S. and Hozumi, K.
 Determination of isoniazid in tablets by second-derivative ultraviolet spectro-

- photometry of scraped-spot solutions from thin-layer chromatography 357
- Kolev, S. D.
- and Pungor, E.
Unsteady motion in single-line flow-injection systems 109
- Kublik, Z., see Głodowski, S. 11
- Lavorato, G., see Tittarelli, P. 59
- Lehuede, P.
- , Rousseau, J. L., Bissery, V., Baylocq, D. and Pellerin, F.
Essais en autoclave de flacons de verre à usage pharmaceutique. Comparaison des analyses des ions passés en solution et des profils de concentration des surfaces de verre testées 145
- Linden, W. E., van der, see van der Linden, W. E. 117
- Lorenzo, E.
- and Hernandez, L.
Adsorptive stripping voltammetry of chlordiazepoxide at the hanging mercury drop electrode 275
- Lorenzo, M. S.
- , Cañas, P., Duo, R. and Aldaz, A.
Theoretical analysis of the response of an electrode to white noise and evaluation of some parameters 295
- Martinez, T., see Wang, J. 43
- Marx, G., see Friehmelt, V. 135
- Mäurer, F., see Danzer, K. 289
- Memon, M. H.
- and Worsfold, P. J.
Use of microemulsions in flow injection analysis spectrophotometric determination of copper 345
- Milne, P. J., see Vastano, S. E. 127
- Mopper, K., see Vastano, S. E. 127
- Nakayama, M., see Zaitzu, K. 351
- Ohkura, Y., see Zaitzu, K. 351
- Olive, J., see Grimalt, J. 193
- Pellerin, F., see Lehuede, P. 145
- Pertoldi Marletta, G., see Favretto, L. 253
- Pungor, E., see Kolev, S. D. 109
- Reich, G.,
Recognizing chromatographic peaks with pattern recognition methods. Part 1. Development of a *k*-nearest-neighbour technique 153
- Reich, G.,
Recognizing chromatographic peaks with pattern recognition methods. Part 2. Evaluation of different distance measures 171
- Reinhoudt, D. N., see Chen, L. 117
- Renman, L., see Hua, C. 263
- Renman, L., see Huiliang, H. 1, 269
- Riley, C., see Bailey, M. P. 335
- Roberts, J. A., see Headridge, J. B. 311
- Rocks, B. F., see Bailey, M. P. 335
- Rousseau, J. L., see Lehuede, P. 145
- Sakamoto-Arnold, C. M., see Johnson, K. S. 83
- Sano, A.
- and Takitani, S.
Spectrofluorimetric determination of triethylenethiophosphoramidate in blood 77
- Schulmeister, T.
Mathematical treatment of concentration profiles and anodic current of amperometric enzyme electrodes with chemically-amplified response 305
- Shibasaki, T., see Hayashi, Y. 185
- Singer, R., see Danzer, K. 289
- Stahovec, W. L., see Vastano, S. E. 127
- Stoyanov, E.
- and Dimov, N.
Precalculation of the optimum column temperature for gas chromatographic separation of petroleum fractions 207
- Takitani, S., see Sano, A. 77
- Tanabe, K., see Yu, T. 317
- Tien, H. T., see Bender, C. J. 51
- Tittarelli, P.
- and Lavorato, G.
Determination of sulphur in fuel oils by absorption spectrometry of electrothermally generated carbon sulphide molecules 59
- Townshend, A., see Al-Sowdani, K. H. 339
- Tuzhi, P., see Wang, J. 43
- Uchiyama, M., see Hayashi, Y. 185
- Van der Linden, W. E., see Chen, L. 117
- Vastano, S. E.
- , Milne, P. J., Stahovec, W. L. and Mopper, K.
Determination of picomolar levels of flavins in natural waters by solid-phase ion-pair extraction and liquid chromatography 127

- Vojnović, D., see Favretto, L. 253
- Wang, J.
—, Tuzhi, P. and Martinez, T.
Trace metal speciation by adsorptive stripping voltammetry of metal chelates of solochrome violet RS 43
- Willason, S. W., see Johnson, K. S. 83
- Winefordner, J. D., see Yu, T. 317
- Worsfold, P. J., see Memon, M. H. 345
- Yang, Z., see Friehmelt, V. 135
- Yu, T.
—, Tanabe, K. and Winefordner, J. D.
Excitation of molecules in the afterglow of an electric discharge 317
- Zaitsu, K.
—, Nakayama, M. and Ohkura, Y.
Sensitive flow-injection determination of L-lactate in human blood with immobilized enzyme columns and fluorimetric detection 351
- Zimmer, K., see Danzer, K. 289

ANALYTICA CHIMICA ACTA

International journal devoted to all branches of analytical chemistry

(Abstracted, Indexed in: Anal. Abstr.; Biol. Abstr.; Chem. Abstr.; Curr. Contents Phys. Chem. Earth Sci.; Life Sci.; Index Med.; Mass Spectrom. Bull.; Sci. Citation Index; Excerpta Med.)

VOL. 201

CONTENTS

OCTOBER 15, 1987

Electrometric Methods

- Flow potentiometric and constant-current stripping analysis for mercury(II) with gold, platinum and carbon fibre working electrodes. Application to the analysis of tap water
H. Huiliang, D. Jagner and L. Renman (Lund, Sweden) 1
- Cathodic and anodic stripping determination of traces of adenine and adenosine based on accumulation of copper(I) compounds at mercury or amalgam electrodes
S. Głodowski, R. Bilewicz and Z. Kublik (Warsaw, Poland) 11
- Determination of selenium(IV) by differential pulse voltammetry of the 3,3'-diaminobenzidine plaszelenol
Ph. Breyer and B. P. Gilbert (Liège, Belgium) 23
- Determination of very low levels of selenium(IV) in sea water by differential-pulse cathodic stripping voltammetry after extraction of the 3,3'-diaminobenzidine plaszelenol
Ph. Breyer and B. P. Gilbert (Liège, Belgium) 33
- Trace metal speciation by adsorptive stripping voltammetry of metal chelates of solochrome violet RS
J. Wang, P. Tuzhi and T. Martinez (Las Cruces, NM, U.S.A.) 43
- Electrical properties of bilayer lipid membranes containing iodine and iodide, investigated by cyclic voltammetry
C. J. Bender and H. T. Tien (East Lansing, MI, U.S.A.) 51

Spectrometric Methods

- Determination of sulphur in fuel oils by absorption spectrometry of electrothermally generated carbon sulphide molecules
P. Tittarelli and G. Lavorato (Milan, Italy). 59
- Micellar-catalyzed reactions for flow-injection systems. Determination of pyridoxal
M. A. Hernández Torres, M. G. Khaledi and J. G. Dorsey (Gainesville, FL, U.S.A.) 67
- Spectrofluorimetric determination of triethylenethiophosphoramide in blood
A. Sano and S. Takitani (Tokyo, Japan) 77
- Reagent-injection flow analysis: application to the determination of nanomolar levels of hydrogen peroxide in seawater
K. S. Johnson, C. M. Sakamoto-Arnold, S. W. Willason and C. L. Beehler (Santa Barbara, CA, U.S.A.) 83

General Analytical Chemistry

- Ion-exchange resins containing S-bonded dithizone and dehydrodithizone as functional groups. Part 3. Determination of gold, platinum and palladium in geological samples by means of a dehydrodithizone resin and plasma emission spectrometry
M. Grote and A. Ketrup (Paderborn, F.R.G.) 95
- Unsteady motion in single-line flow-injection systems
S. D. Kolev and E. Pungor (Budapest, Hungary) 109
- Stability constants for some divalent metal ion/crown ether complexes in methanol determined by polarography and conductometry
L. Chen, M. Bos, P. D. J. Grootenhuys, A. Christenhusz, E. Hoogendam, D. N. Reinhoudt and W. E. van der Linden (Enschede, The Netherlands) 117
- Determination of picomolar levels of flavins in natural waters by solid-phase ion-pair extraction and liquid chromatography
S. E. Vastano, P. J. Milne, W. L. Stahovec and K. Mopper (Miami, FL, U.S.A.) 127
- Transport behaviour of water and nitric acid in tributyl phosphate/n-dodecane mixtures
V. Friehmelt, A. He, Z. Yang and G. Marx (Berlin, F.R.G.) 135
- Essais en autoclave de flacons de verre à usage pharmaceutique. Comparaison des analyses des ions passés en solution et des profils de concentration des surfaces de verre testées
P. Lehuède, J. L. Rousseau (Aubervilliers, France), V. Bissery, D. Bayloccq et F. Pellerin (Chatenay Malabry, France). 145

(Continued overleaf)

(Contents continued)

Computer Methods and Applications

Recognizing chromatographic peaks with pattern recognition methods. Part 1. Development of a <i>k</i> -nearest-neighbour technique G. Reich (Vienna, Austria)	153
Recognizing chromatographic peaks with pattern recognition methods. Part 2. Evaluation of different distance measures G. Reich (Vienna, Austria)	171
Resolution of overlapped chromatograms by means of the Kalman filter. Dimensional reduction of error covariance matrices and state estimate vectors Y. Hayashi, T. Shibasaki and M. Uchiyama (Tokyo, Japan)	185
An experimental study of the efficiency of different statistical functions for the resolution of chromatograms with overlapping peaks J. Grimalt, H. Iturriaga and J. Olive (Barcelona, Spain)	193
Precalculation of the optimum column temperature for gas chromatographic separation of petroleum fractions E. Stoyanov (Bourgas, Bulgaria) and N. Dimov (Sofia, Bulgaria)	207
General model for precalculation of the retention indices of isoalkanes separated by gas or liquid chromatography N. Dimov (Sofia, Bulgaria)	217
Symmetric distance measures for mass spectra F. Drablos (Bergen, Norway)	225
Theoretical aspects of quantitative mass spectrometry of gas mixtures F. V. Babalievski (Sofia, Bulgaria)	241
Principal components analysis for the estimation of interdependences among trace metals in cow milk L. Favretto, G. Pertoldi Marietta, L. Gabrielli Favretto and D. Vojnović (Trieste, Italy)	253

Short Communications

Automated determination of total arsenic in sea water by flow constant-current stripping analysis with gold fibre electrodes C. Hus, D. Jagner and L. Renman (Lund, Sweden)	263
Determination of mercury in air by means of computerized flow constant-current stripping analysis with a gold fibre electrode H. Huiliang, D. Jagner and L. Renman (Lund, Sweden)	269
Adsorptive stripping voltammetry of chlordiazepoxide at the hanging mercury drop electrode E. Lorenzo and L. Hernandez (Madrid, Spain)	275
Comparison of amperometric measuring principles for determinations of glucose with electrodes based on glucose oxidase L. Asperger, G. Geppert and Ch. Krabisch (Leipzig, G.D.R.)	281
Investigation of the origin of archaeological glass artefacts by means of pattern recognition K. Danzer, K. Flórian, R. Singer, F. Mäurer (Jena, G.D.R.), A.-B. M. El-Nady and K. Zimmer (Budapest, Hungary)	289
Theoretical analysis of the response of an electrode to white noise and evaluation of some parameters M. S. Lorenzo, P. Cañas, R. Duo and A. Aldaz (Madrid, Spain)	295
Effect of Savitzky-Golay smoothing on second-derivative spectra K. Kitamura and K. Hozumi (Kyoto, Japan)	301
Mathematical treatment of concentration profiles and anodic current of amperometric enzyme electrodes with chemically-amplified response T. Schulmeister (Berlin-Buch, G.D.R.)	305
Determination of antimony dopant and some ultra-trace elements in semiconductor silicon by atomic absorption spectrometry with introduction of solid samples into the furnace J. B. Headridge, D. Johnson, K. W. Jackson (Sheffield, Gt. Britain) and J. A. Roberts (Redhill, Gt. Britain)	311
Excitation of molecules in the afterglow of an electric discharge T. Yu, K. Tanabe and J. D. Winefordner (Gainesville, FL, U.S.A.)	317
Continuous flow extraction of indium with bis(2-ethylhexyl)phosphoric acid in 4-methylpentane-2-one coupled on-line with flame atomic absorption spectrometry J. Coello (Bellaterra, Spain), L.-G. Danielsson and S. Hernandez-Cassou (Stockholm, Sweden)	325

Accurate determination of selenium in biological materials without perchloric acid for digestion V. W. Bunker and H. T. Delves (Southampton, Gt. Britain)	331
Rapid spectrofluorimetric determination of plasma salicylate with EDTA and terbium M. P. Bailey, B. F. Rocks (Brighton, Gt. Britain) and C. Riley (Falmer, Gt. Britain)	335
Flow-injection determination of europium after on-line reduction K. H. Al-Sowdani and A. Townshend (Hull, Gt. Britain)	339
Use of microemulsions in flow injection analysis: spectrophotometric determination of copper M. H. Memon and P. J. Worsfold (Hull, Gt. Britain)	345
Sensitive flow-injection determination of L-lactate in human blood with immobilized enzyme columns and fluorimetric detection K. Zaitzu, M. Nakayama and Y. Ohkura (Fukuoka, Japan)	351
Determination of isoniazid in tablets by second-derivative ultraviolet spectrophotometry of scraped-spot solutions from thin-layer chromatography K. Kitamura, M. Hatta, S. Fukuyama and K. Hozumi (Kyoto, Japan)	357
<i>Book Reviews</i>	363
<i>Erratum</i>	377
<i>Author Index</i>	379